

CE

CE marking indicates conformity with health, safety and environmental standards for products sold within the European Economic Area (EEA).



DAS KORK

Assures the quality of cork products, as well as the optimization of manufacturing processes and the support of research projects.



FRENCH REGULATION ON VOC EMISSIONS

French certification that classifies products according to their level of voc emissions. Our products have been classified at the highest level (A+).



TÜV-PROFICERT

Tüv-Proficert is a transnational certificate for voc-emission and air quality, certifying that a product complies with different national regulations.



BLUE ANGEL

Voluntary certification that follows strict environmental standards and is recognized as a reference guide for a more sustainable way of life.



GREENGUARD CERTIFICATION

North-american certification that identifies products that have low chemical emissions, improving the air in which they are used. Our products are awarded with the GOLD certification.



EPD (ENVIRONMENTAL PRODUCT DECLARATION)

Third-party independent evaluation that reports environmental data of products based on their life cycle assessment.



LEED

Wicanders products contribute with points in the following categories: Materials and Resources / Indoor Environmental Quality.



BREEAM

 $Wi can ders \, products \, contribute \, with \, points \, in \, the \, following \, categories: \, Health \, and \, well \, being \, / \, Materials.$



M1

Presents emission requirements for building materials, fixture and furniture used in office and residential buildings with respect to good indoor air quality.



HEALTH PRODUCT DECLARATION

Provides full disclosure of potential chemicals of concern in products by comparing product ingredients against a set of prioritized red lists.



NORDIC SWAN ECOLABEL

Is one of the world's toughest environmental certifications, and a powerful tool for producers and brand owners, that offers a recipe on how to reduce the environmental impact from production to consumption of goods, and credible third party certified guidance for their consumers and professional buyers.

WICANDERS WISE

TECHNICAL DATA SHEET

Burel Cork Wall

Technical Data Sheet	Standard	Unit	Value
Dimension (LxWxT)	EN 427	mm	600 ± 0.5% 300 ± 0.5%
Mass per unit	-	Kg/m²	0,95
Packaging (box / pallet)	-	m²	5,94/213,84
SQUARENESS	EN 427	mm	600: < 1.0mm 300: < 0.5mm
THICKNESS	ISO 7322	mm	3.0 ± 0.3%
APPARENT DENSITY	EN 672	Kg/m³	≥200
DIMENSION STABILIT	EN 434	%	3.0 ± 0.3%
CURLING	EN 434	mm	≤6
MOISTURE CONTENT	EN 12105	%	≤7
FORMALDEHYDE	EN 12149, method C	mg/Kg	≤95
VINYL CHLORIDE MONOMER (VCM)	EN 12149, TEST B	mg/Kg	≤0,2
THERMAL RESISTANCE	EN 12667	m2 K/w	0.0572 (Varnished) 0.0583 (Waxed)
REACTION TO FIRE	EN 15102: 2007	Class	Е
SOUND ABSORPTION	ISO 354	αw	0,1
RELEASE OF HEAVY METALS AND SPECIFIC ELEMENTS	EN 12149		fulfilled

- 1 PROTECTIVE FINISH
- 2 CORK AND BUREL AGGLOMERATED CORE
- 3 CORK AGGLOMERATE CORE





Amorim Cork Flooring, S.A.

Rua do Ribeirinho 202 - P.O. Box 13 4536-907 S. Paio de Oleiros - Portugal **T.** +351 22 747 56 00 **E.** info.acf@amorim.com

