
WICANDERS WISE



WICANDERS WISE

Wicanders Wise has a legacy that goes back to 1868. It is part of Amorim Cork Flooring, the global leading brand in cork-based flooring solutions, present in more than 80 countries worldwide.

With respect for nature as one of its core values, Wicanders Wise has developed durable and sustainable flooring and wall covering solutions with the exclusive comfort provided by cork. Its portfolio is 100% PVC free and has a remarkable negative carbon balance, helping to reduce global warming potential.

By combining state of the art technology with this unique raw material, we achieve the highest standard in flooring.

Available with Cork, Wood and Stone visuals, Wicanders Wise cork floors endure impacts and are very comfortable to walk and stand on, while providing a silent and thermally insulated environment.

A new level of realism in flooring



Wicanders Wise celebrates an important milestone, and we proudly introduce a 100% PVC free product portfolio, showcasing our unwavering commitment to sustainability and eco-conscious design.

With our new digital printing collection, Wicanders Wise offers a wide range of natural products, with an exceptional level of realism, brought to life through cutting-edge technology.

Feel the intricate texture of wood and the softness of stone – every knot and grain are carefully designed and replicated in an exquisite selection of visuals that will defy the senses.

Discover our latest collections, 100% PVC free, 100% realistic and 100% powered by the unmatched comfort of cork.

Natural Performance

- Unprecedent level of realism with natural texture
- Unlimited design possibilities
- Premium cork comfort
- Negative carbon balance
- Made of renewable resources
- Highly resistant and exceptionally durable
- Suitable for all residential and commercial areas


WICANDERS WISE

SILENCE

SILENCE

Reduces the walking sound up to 53%.

Laminate







IMPACT RESISTANCE


Highest shock absorbing performance. SHOCKABSORBING


NATURAL THERMAL INSULATION

INFRARED FOOT TEMPERATURE















NATURAL THERMAL INSULATION Optimal temperature all year round.

INDOOR AIR QUALITY







INDOOR AIR QUALITY

Compliance with the strictest indoor air quality standards after being tested on over 2000 potential chemicals.







WALKING COMFORT




WALKING COMFORT

Wicanders Wise floors are the perfect mix to reduce heel strike impacts and related body tensions, but stable enough to help the foot impulse and provide the needed stability to reduce effort on walking and decrease body fatigue.



- 1 Reduces body fatigue
- 2 Less lumbar pain, more energetic walking pattern
- 3 Lower heel strike perception, higher comfort
- 4 Decreases average plantar pressures



wood Bi@natural XL

Bionatural is 100% natural and fossil plastic free. Its innovative bio core is made of cork, sugar cane waste and natural materials, with a renewable content above 95%. Bionatural is available in cork, wood and stone visuals. The cork visuals are made using natural cork veneers and the wood and stone visuals are achieved through cutting-edge digital printing 3D embossing technology. Bionatural range will defy your senses due to its level of realism and intricate texture.

- HIGH QUALITY PROTECTIVE VARNISH WITH EMBOSSED IN REGISTER
- 2 DIGITAL PRINTING IMAGE ON CORK
- 3 CORK INLAY
- CORK BIO CORE
- 5 INTEGRATED CORK UNDERLAY



PRODUCT INFORMATION

Dimension	1525 x 195 mm
Thickness	9,5 mm
Bevel	4 sides micro bevel
Finishing	HRT HR STEDING TO SERVICE STATES AND ADDRESS AND ADDR
Locking system	2G





80004051 - Essential Oak Desert




80004050 - Essential Oak Tan



80004016 - Farnia Oak Savannah



80004017 - Farnia Oak





80004025 - Smoke Oak Mid Grey



80004026 - Smoke Oak Honey







80004045 - Ginger Wood Fume



80004047 - Ginger Wood Brown



CF

CE marking indicates conformity with health, safety and environmental standards for products sold within the European Economic Area (EEA).



DAS KORK

Assures the quality of cork products, as well as the optimization of manufacturing processes and the support of research projects.



FRENCH REGULATION ON VOC EMISSIONS

French certification that classifies products according to their level of voc emissions. Our products have been classified at the highest level (A+).



TÜV-PROFICERT

Tüv-Proficert is a transnational certificate for voc-emission and air quality, certifying that a product complies with different national regulations.



BLUE ANGEL

Voluntary certification that follows strict environmental standards and is recognized as a reference guide for a more sustainable way of life.



GREENGUARD CERTIFICATION

North-american certification that identifies products that have low chemical emissions, improving the air in which they are used. Our products are awarded with the GOLD certification.



EPD (ENVIRONMENTAL PRODUCT DECLARATION)

Third-party independent evaluation that reports environmental data of products based on their life cycle assessment.



LEED

Wicanders products contribute with points in the following categories: Materials and Resources / Indoor Environmental Quality.



BREEAM

Wicanders products contribute with points in the following categories: Health and well being / Materials.



М1

Presents emission requirements for building materials, fixture and furniture used in office and residential buildings with respect to good indoor air quality.



HEALTH PRODUCT DECLARATION

Provides full disclosure of potential chemicals of concern in products by comparing product ingredients against a set of prioritized red lists.



NORDIC SWAN ECOLABEL

Is one of the world's toughest environmental certifications, and a powerful tool for producers and brand owners, that offers a recipe on how to reduce the environmental impact from production to consumption of goods, and credible third party certified guidance for their consumers and professional buyers.

WICANDERS WISE

TECHNICAL DATA SHEET



Technical Data Sheet	Standard	Unit	Value
Dimension (LxWxT)	0	mm	1525x195x9.5mm
Mass per unit	-	Kgs/m2	9.2
Packaging (box / pallet)		M2	1,784 / 78,507
Level of use Domestic	ISO 10874	Class	23
Level of use Commercial	ISO 10874	Class	33
General properties - EN16511			
Thickness, t -	ISO 24337	"∆tavg ≤ 0,50 mm, relative to nominal value / tmax - tmin ≤ 0,50 mm"	Complies
Length, I	ISO 24337	"≤1500 mm: Δl≤0,5 mm/ >1500 mm: Δl≤0,3 mm/m"	Complies
Width, w	ISO 24337	"∆wavg≤0,10 mm, relative to nominal value / wmax - wmin≤0,20 mm"	Complies
Squareness, q	ISO 24337	max ≤ 0,20 mm	Complies
Straightness, s	ISO 24337	max ≤ 0,30 mm/m	Complies
Openings, o	ISO 24337	max ≤ 0,20 mm	Complies
Height difference, h	ISO 24337	hmax ≤ 0,15 mm	Complies
Flatness of the panel (Length - concave / convex)	ISO 24337	concave ≤ 0,50 %, / convex ≤ 1,0 %	Complies
Flatness of the panel (Width - concave / convex)	ISO 24337	concave ≤ 0,15 %, / convex ≤ 0,20 %	Complies
Classification properties - EN 16511			
Wear resistance IP	EN 15468, procedure B	≥5 000 cycles	Complies
Impact resistance [mm] (big ball)	EN 13329:2006+A1:2008, Annex F	≥1600 mm	Complies
Castor chair resistance	EN 425	25 000 cycles	Complies
Resistance to staining	EN 438-2	"Groups1and 2: grade 5 Group 3: grade 4"	Complies
Residual indentation	EN ISO 24343-1	≤0,2 mm	Complies
Swelling	ISO 24336	≤18 %	Complies
Dimensional stability due to variation of temperature	ENISO 23999	≤0,25%	Complies
Effect of furniture leg	EN 424	-	No Visible Damage
Safety properties - EN 14041			
Fire resistance	EN ISO 11925-2 + EN ISO 9239-1 : Class EN 13501-1	Class	Cfl-S1
Slip Classification	EN13893	Class	DS
Formaldehyde emission	EN 717-1	Class	E1
Content pentachlorophenol (PCP)	EN 12673	% mg/kg	Undetectable
Additional properties			
Impact sound reduction	ENISO 10140	dB (Δ Lw)	18
Walking noise	EN16205: 2020	dB	Reduction improve- ment - 15
Thermal resistance (Thermal conductivity)	EN 12667 / ISO 1957	(m2K)/W	R≤0,150

- HIGH QUALITY PROTECTIVE VARNISH WITH EMBOSSED IN REGISTER
- 2 DIGITAL PRINTING IMAGE ON CORK
- 3 CORK INLAY
- 4 CORK BIO CORE
- 5 INTEGRATED CORK UNDERLAY





Amorim Cork Flooring, S.A.

Rua do Ribeirinho 202 - P.O. Box 13 4536-907 S. Paio de Oleiros - Portugal **T.** +351 22 747 56 00 **E.** info.acf@amorim.com

