

cork

WICANDERS®

Nature at your feet

Amorim Revestimentos
Rua do Ribeirinho 202
P. O. Box 13
4536-907 S. Paio de Oleiros
PORTUGAL

p_ (+351) 227 475 600
e_ wicanders.ar@amorim.com
www.wicanders.com
www.akyzemin.com

Enabling wellbeing in every room

WICANDERS®

Nature at your feet

Wicanders has a legacy that goes back to 1868 and is the global leading brand in flooring products with cork technology. Present in more than 70 countries, its promise is to provide Floors for Living, ready for real life, for our home and office, for our different rhythms, for our family and pets, for all those wonderful and simple, yet sometimes unexpected moments. Floors for our lives.

Over the years, Wicanders has developed sustainable floor and wall coverings with exclusive properties due to its innovative Corktech technology. By combining state of the art technology with the exclusive natural properties of cork, a higher standard in flooring is achieved. Available with cork, wood and stone looks, its products are able to provide a silent and thermally insulated environment, that endures impacts and is very comfortable to walk and stand on.

Wicanders means wellbeing, a choice for life!

AMORIM



FROM NATURE, TO YOUR SPECIAL SPACE.

Technology only makes sense if it improves people's lives. This concept finds expression in products developed with Corktech technology.

By using a unique engineered multilayer structure, which combines state of the art technology with the exclusive natural properties of cork, a higher standard in flooring is achieved, providing the perfect match between design and wellbeing.

Wicanders uniqueness is daily achieved by continuosly research on how end customers think and live their spaces. Wicanders brings to the market products that provide a silent and thermally insulated environment, that endures through time and are sustainable at the same time.

Silence	Natural Thermal Insulation	Walking Comfort	Impact Resistance

Identity Champagne

cork Go 09

cork Essence | Resist+ 17

cork Pure 49

GET THE BEST RESULTS WITH WICANDERS ACCESSORIES! 76

CREATED BY HUMANS, INSPIRED BY NATURE 78

CORK - A SUSTAINABLE RAW MATERIAL 79

PRODUCT SELECTOR 80

WICANDERS' RANGE 91

Sample images are cut from larger pieces. Decor and shade may vary slightly.

cork
Go

Formats

905 x 295 x 10,5mm
35 5/8 x 11 5/8 x 3/8"

Floating

RANGE

Go	23	$
Essence	23 31	
Resist+	23 33	
Pure	23 31	

23 Heavy Traffic Residential areas

31 Moderate Traffic Commercial areas

33 Heavy Traffic Commercial areas

$ Budget products

Glue down



Dream

WICANDERS®

Moment
GA01002

905 x 295 x 10,5mm

Emotion
GB08002

905 x 295 x 10,5mm

Captivation
C824001

905 x 295 x 10,5mm

Attraction
GB03002

905 x 295 x 10,5mm

Class
Dance, laugh, play freely!

Around for many decades, Cork flooring has come into vogue in a major way mostly due to the fact that it is a green renewable resource that offers a unique set of benefits.

When it comes to choosing the ideal flooring for a child's bedroom, there's no better option than cork floors. Perfect for the ones that love to walk around barefoot, play freely, yet not worrying about being too loud with the toys on the floor.
It is only a matter of choosing the most suitable look.

These full of class cork looks are available in natural, and light and dark painted colours that will fit and elevate your space as an out of the ordinary ambiance without surpassing the furniture and other decor elements.

Desire

Desire

GA21003

Dream
GB05003

905 x 295 x 10,5mm

Impulse
GB09002

905 x 295 x 10,5mm

Charm
GB01003

905 x 295 x 10,5mm

Ambition
GB06002

905 x 295 x 10,5mm

Appeal
GB10002

905 x 295 x 10,5mm

Intense
GB11002

905 x 295 x 10,5mm



Allure

Allure

GB02002

905 x 295 x 10,5mm

Technical solution



Finishing & Warranty

WPS
WEAR PROTECT SURFACE

WPS protective finishing (Wear Protect Surface) was developed with an excellent resistance for the most demanding domestic areas. This varnish has an improved long life span and a soft touch.

23

WARRANTY 10 YEARS

Technical Data Sheet

Floating			
			WPS **905 x 295 x 10,5mm** | 35 5/8x11 5/8x3/8"
Level of use Domestic	ISO 10874	Class	
Level of use Commercial	ISO 10874	Class	-
Finish Description	-	-	UV Acrylic varnish
	Standard-Test Method	**Unit**	**Specification**
General Properties - EN 14085 + EN 12104 + EN 655			
Dimensions: Width Length	EN ISO 24346	mm	± 0,10% up to max. 0,5 max. 2,0
Overall thickness	EN ISO 24342	mm	± 0,25
Squareness	EN ISO 24342	mm	≤ 0,50
Straightness measured at the surface layer	EN ISO 24346	mm	≤ 0,30
Flatness of the panel (Length - Concave / Convex)	EN 14085 (Annex A)	%	≤ 0,50 / ≤ 1,0
Flatness of the panel (Width - Concave / Convex)	EN 14085 (Annex A)	%	≤ 0,10 / ≤ 0,15
Openings between panels	EN 14085 (Annex B)	mm	≤ 0,20
Height difference between panels	EN 14085 (Annex B)	mm	≤ 0,20
Dimensional stability (humidity)	EN 669 (Annex C)	%	≤ 5
Mass per unit area	ISO 23997	g/m²	Nominal Value (8000) -10%; +13%

Floating			
			WPS **905 x 295 x 10,5mm** | 35 5/8x11 5/8x3/8"
Classification Properties - EN 14085 + EN 12104 + EN 655			
Nominal thickness for cork surface	EN ISO 24340	mm	≥ 2,5
Residual indentation	EN ISO 24343-1	mm	≤ 0,40
Safety properties - EN 14041			
Fire resistance	EN 13501-1	Class	E_{fl-s1}
Slip classification	EN 13893	Class	DS
Formaldehyde emission	EN 717-1	Class	E1
Electrical behaviour	EN 1815	KV	Not Antistatic
Content pentachlorophenol (PCP)	EN 14041 (Annex B)	mg/Kg	PCP Free
Optional properties			
Stains resistance	ISO 26987(a)	Grade (b)	Grade 0 (iodine: Grade 3)
Thermal resistance	EN 12667	$(m^2K)/W$	R≤ 0,150

Greenguard Certification helps the identification of interior products and materials that have low chemical emissions, improving the quality of the air in which the products are used. It promotes global sustainability, environmental health, and safety.

TÜV-PROFiCERT–product Interior brand is a voluntary, independent label for VOC-emission and quality of floorings. The results comply with the emission thresholds of AgBB, Belgian VOC regulation, Finnish M1 classification, BREEAM Exemplary Level, LEED v4 (outside North America), RAL-UZ 120 and Austrian Eco Label (Guideline UZ 56).

As of January 2012, France has adopted regulations that limit total VOC emissions of building products. Manufacturers, selling their products in France must obtain a classification ranging from A+ (very low emissions) to C (high emissions). The declared goal is to improve indoor air quality in private/ commercial buildings.

An Environmental Product Declaration is a verified document that reports environmental data of products based on life cycle assessment and other relevant information in accordance with the international standard ISO 14025.

The goal of the German Cork Association is to assure the quality of cork products, as well as the optimization of manufacturing processes and the support of research projects.

(a) The following products were tested: Desinfectant, Petroleum spirit, C_2H_5OH, NH_4OH, Citric acid and Iodine.

b) Grade 0 - Unchanged / Grade 1 - Very little change / Grade 2 - Little change / Grade 3 - Change / Grade 4 - Strong change.

Wicanders Flooring Collection is supported by a warranty. Please, read the warranty terms on **www.wicanders.com**

cork
Essence Resist+

Formats

605 x 445 x 10,5mm
23 13/16 x 17 1/2 x 3/8"

905 x 295 x 10,5mm
35 5/8 x 11 5/8 x 3/8"

1220 x 140 x 10,5mm
48 x 5 1/2 x 3/8"

Floating

RANGE

Go	23, $
Essence	23, 31
Resist+	23, 33
Pure	23, 31, glue down

23 Heavy Traffic Residential areas

31 Moderate Traffic Commercial areas

33 Heavy Traffic Commercial areas

$ Budget products

Glue down

Traces Champagne

WICANDERS®

Flock Champagne

C81Y001 1220 x 140 x 10,5mm Essence
C11Y001 1220 x 140 x 10,5mm Resist+

Flock Tea

C83Z001 1220 x 140 x 10,5mm Essence
C13Z001 1220 x 140 x 10,5mm Resist+

Flock Chestnut

C84A001 1220 x 140 x 10,5mm Essence
C14A001 1220 x 140 x 10,5mm Resist+

Class

When nature meets charm

In modern interior design, the creation of spaces with style and personality starts with beautiful and expressive floors. Aligned with the market trends, our team of experts has created an unique Class collection that combines different shapes of natural Cork.

Rich in style, charm and sophistication, and in harmony with nature, Class also provides an unmatched wellbeing that will for sure be very pleasant when getting together with family and friends.

Light coloured flooring like Flock Moonlight is the splendid background for soft colours and it will balance smoothly your classic and modern furniture with a minimalistic look.

Flock Moonlight

Flock Moonlight

C81X001 1220 x 140 x 10,5mm Essence
C11X001 1220 x 140 x 10,5mm Resist+

Slate Moccaccino

Slate Arctic

C81D001 605 x 445 x 10,5mm Essence
C11D002 605 x 445 x 10,5mm Resist+

Slate Moccaccino

C81C001 605 x 445 x 10,5mm Essence
C11C002 605 x 445 x 10,5mm Resist+

Slate Caffe

C81A001 605 x 445 x 10,5mm Essence
C11A002 605 x 445 x 10,5mm Resist+

President Spice

F808002 1220 x 140 x 10,5mm Essence
C14K001 1220 x 140 x 10,5mm Resist+

President Chestnut

F832003 1220 x 140 x 10,5mm Essence
C14L001 1220 x 140 x 10,5mm Resist+

President Chocolate

F831002 1220 x 140 x 10,5mm Essence
C14I001 1220 x 140 x 10,5mm Resist+

President Chestnut

Identity Moonlight

I801002 905 x 295 x 10,5mm Essence
C12N002 905 x 295 x 10,5mm Resist+

Identity Champagne

I805002 905 x 295 x 10,5mm Essence
C12O001 905 x 295 x 10,5mm Resist+

Identity Timide

I802002 905 x 295 x 10,5mm Essence
C12M001 905 x 295 x 10,5mm Resist+

Identity Eden

I806002 905 x 295 x 10,5mm Essence
C12P001 905 x 295 x 10,5mm Resist+

Identity Silver

I803002 905 x 295 x 10,5mm Essence
C12Y002 905 x 295 x 10,5mm Resist+

Identity Tea

I810002 905 x 295 x 10,5mm Essence
C12R001 905 x 295 x 10,5mm Resist+

Identity Tea

WICANDERS

Identity Chestnut

I832002 905 x 295 x 10,5mm Essence
C13G001 905 x 295 x 10,5mm Resist+

Identity Nightshade

I821002 905 x 295 x 10,5mm Essence
C12L001 905 x 295 x 10,5mm Resist+

Originals Natural

O801007 905 x 295 x 10,5mm Essence
C111001 905 x 295 x 10,5mm Resist+

Originals Rhapsody

O825005 905 x 295 x 10,5mm Essence
C125001 905 x 295 x 10,5mm Resist+

Originals Shell

Originals Country

O832004 905 x 295 x 10,5mm Essence
C132001 905 x 295 x 10,5mm Resist+

Originals Shell

O824003 905 x 295 x 10,5mm Essence
C124001 905 x 295 x 10,5mm Resist+

Originals Dawn

O849003 905 x 295 x 10,5mm Essence
C149001 905 x 295 x 10,5mm Resist+

Originals Accent

O841002 905 x 295 x 10,5mm Essence
C141001 905 x 295 x 10,5mm Resist+

Originals Character

O822002 905 x 295 x 10,5mm Essence
C122001 905 x 295 x 10,5mm Resist+

Originals Harmony

O821005 905 x 295 x 10,5mm Essence
C121001 905 x 295 x 10,5mm Resist+

Originals Symphony

O830003 905 x 295 x 10,5mm Essence
C130001 905 x 295 x 10,5mm Resist+

Personality Moonlight

P801002 905 x 295 x 10,5mm Essence
C14H001 905 x 295 x 10,5mm Resist+

Personality Timide

P802002 905 x 295 x 10,5mm Essence
C13J001 905 x 295 x 10,5mm Resist+



Personality Champagne

P805002 905 x 295 x 10,5mm Essence
C13K001 905 x 295 x 10,5mm Resist+

Personality Eden

P806002 905 x 295 x 10,5mm Essence
C15S001 905 x 295 x 10,5mm Resist+

Personality Eden

Personality Spice

P808002 905 x 295 x 10,5mm Essence
C15U001 905 x 295 x 10,5mm Resist+

Personality Tea

P810002 905 x 295 x 10,5mm Essence
C15T001 905 x 295 x 10,5mm Resist+

Personality Chestnut

P832002 905 x 295 x 10,5mm Essence
C14X001 905 x 295 x 10,5mm Resist+

Fashionable Cement

C85L001 905 x 295 x 10,5mm Essence
C15L001 905 x 295 x 10,5mm Resist+

Fashionable Grafite

C85M001 905 x 295 x 10,5mm Essence
C15M001 905 x 295 x 10,5mm Resist+

Fashionable Macchiato

C85N001 905 x 295 x 10,5mm Essence
C15N001 905 x 295 x 10,5mm Resist+

Fashionable Mystic

C85K001 905 x 295 x 10,5mm Essence
C15K001 905 x 295 x 10,5mm Resist+

Contemporary

Reinvented cork looks for sophisticated atmospheres

Contemporary homes are by definition visually light and functional. The "less is more" rule applies and all decor elements are carefully chosen.

When on a new project or remodeling an existing space, flooring takes place as one of the first decisions to be made. The style and type of benefits it can provide are highly considered during the decision process, in order to achieve the desired authenticity and functionality.

Fashionable Glacier has, for instance, a reinvented cork pattern veneer which results in an excellent option when creating a decor for a home open space. The neutral colour palettes will enable calm and relaxing atmospheres.



Fashionable Glacier

Fashionable Glacier

C85J001 905 x 295 x 10,5mm Essence
C15J001 905 x 295 x 10,5mm Resist+

Lane Timide

C83R001 1220 x 140 x 10,5mm Essence
C13R001 1220 x 140 x 10,5mm Resist+

Lane Chestnut

C83S001 1220 x 140 x 10,5mm Essence
C13S001 1220 x 140 x 10,5mm Resist+

Lane Timide

Linn Blush

C81O0001 605 x 445 x 10,5mm Essence
C11O0003 605 x 445 x 10,5mm Resist+

Linn Moon

C81N001 605 x 445 x 10,5mm Essence
C11N001 605 x 445 x 10,5mm Resist+

Linn Cioccolato

C81L001 605 x 445 x 10,5mm Essence
C11L002 605 x 445 x 10,5mm Resist+

Linn Moon

Traces Chestnut

C85R001 1220 x 140 x 10,5mm Essence
C15R001 1220 x 140 x 10,5mm Resist+

Traces Chestnut



Traces Moonlight

C85P001 1220 x 140 x 10,5mm Essence
C15P001 1220 x 140 x 10,5mm Resist+

Traces Champagne

C85O001 1220 x 140 x 10,5mm Essence
C15O001 1220 x 140 x 10,5mm Resist+

Traces Spice

Q808003 1220 x 140 x 10,5mm Essence
C14N001 1220 x 140 x 10,5mm Resist+

Traces Tea

Q810001 1220 x 140 x 10,5mm Essence
C14M001 1220 x 140 x 10,5mm Resist+

Tweedy Wood Coffee

C861001 Essence

905 x 295 x 10,5mm

Tweedy Wood Timide

C86H001 Essence

905 x 295 x 10,5mm

Tweedy Wood Cocoa

C86F001 Essence

905 x 295 x 10,5mm

Tweedy Saw Cut Moon

C86D001 Essence

905 x 295 x 10,5mm

Reed Meridian

C83T001 1220 x 140 x 10,5mm Essence

C13T001 1220 x 140 x 10,5mm Resist+

Reed Barley

C83U001 1220 x 140 x 10,5mm Essence

C13U001 1220 x 140 x 10,5mm Resist+



Novel Brick Flax

Contemporary

Meet the Novel 3

Lose sight of ordinary spaces with these 3 Contemporary patterns: Twist, Edge, and Brick.

Designed by the renowned industrial designer, Antonio Bullo, this collection is the richest in geometry!
Find your perfect fit and enjoy the subtlety that will hold hands with any remaining decoration.

If you want your flooring to be a blank canvas that allows other elements to be the focus, decide on neutral coloured visuals such as Novel Brick Flax or Novel Brick Drill and then add bold elements throughout the room.

" Nature and geometry.

Cork, distinctive and unmistakable material, clearly shows its own characteristics.

An innovative production process guides its natural irregularities on the geometry of contemporary architecture. "

Antonio Bullo

Renowned industrial Designer
based in Venice

Won four Gold Medals
at the Faenza International
Ceramic Competition

Won two Design Plus Awards
at ISH Frankfurt

Novel Brick Natural

C8G1001 905 x 295 x 10,5mm Essence
C1G1001 905 x 295 x 10,5mm Resist+

Novel Brick Flax

C86T001 905 x 295 x 10,5mm Essence
C16T001 905 x 295 x 10,5mm Resist+

Novel Brick Drill

C86S001 905 x 295 x 10,5mm Essence
C16S001 905 x 295 x 10,5mm Resist+

Novel Brick Taffeta

C86R001 905 x 295 x 10,5mm Essence
C16R001 905 x 295 x 10,5mm Resist+

Novel Twist Natural

C8G0001 905 x 295 x 10,5mm Essence
C1G0001 905 x 295 x 10,5mm Resist+

Novel Twist Velvet

C86Q001 905 x 295 x 10,5mm Essence
C16Q001 905 x 295 x 10,5mm Resist+

Novel Twist Drill

C86P001 905 x 295 x 10,5mm Essence
C16P001 905 x 295 x 10,5mm Resist+

Novel Twist Taffeta

C86O001 905 x 295 x 10,5mm Essence
C16O001 905 x 295 x 10,5mm Resist+

Novel Edge Natural

C8G2001 905 x 295 x 10,5mm Essence
C1G2001 905 x 295 x 10,5mm Resist+

Novel Edge Lace

C86W001 905 x 295 x 10,5mm Essence
C16W001 905 x 295 x 10,5mm Resist+

Novel Edge Drill

C86V001 905 x 295 x 10,5mm Essence
C16V001 905 x 295 x 10,5mm Resist+

Novel Edge Burlap

C86U001 905 x 295 x 10,5mm Essence
C16U001 905 x 295 x 10,5mm Resist+

Essence

Technical solution



Finishing & Warranty

XTREME WRT
WEAR RESISTANCE TECHNOLOGY

Xtreme WRT surface finish (Wear Resistance Technology) is the right choice to fit the most demanding needs of domestic areas. This environmental friendly varnish is based on a ceramic compound which ensures exceptional strength and longevity.

Resist+

Technical solution



Finishing & Warranty

HPS surface finish (High Performance Surface) has been specially developed for areas with heavy traffic, such as commercial, business or general public areas.
This high performance surface has an extra hard wearing surface combined with Nano-Beads Technology, where extremely tiny beads are embedded in a top layer for improved properties such as scratch, slip, scuff and stain resistance.

HPS
HIGH PERFORMANCE SURFACE

Essence
Technical Data Sheet

Floating			
			WRT **905 x 295 x 10,5mm |** 35 5/8 x 11 5/8 x 3/8" **605 x 445 x 10,5mm |** 23 13/16 x 17 1/2 x 3/8" **1220 x 140 x 10,5mm |** 48 x 5 1/2 x 3/8"
Level of use Domestic	ISO 10874	Class	
Level of use Commercial	ISO 10874	Class	
Finish Description	-	-	UV-cured Acrylic varnish with ceramic beads
	Standard-Test Method	**Unit**	**Specification**
General Properties - EN 14085 + EN 12104 + EN 655			
Dimensions: Width Length	EN ISO 24346	mm	± 0,10% up to max. 0,5 max. 2,0
Overall thickness	EN ISO 24346	mm	± 0,25
Squareness	EN ISO 24342	mm	≤ 0,50
Straightness measured at the surface layer	EN ISO 24342	mm	≤ 0,30
Flatness of the panel (Length - Concave / Convex)	EN 14085 (Annex A)	%	≤ 0,50 / ≤ 1,0
Flatness of the panel (Width - Concave / Convex)	EN 14085 (Annex A)	%	≤ 0,10 / ≤ 0,15
Openings between panels	EN 14085 (Annex B)	mm	≤ 0,20
Height difference between panels	EN 14085 (Annex B)	mm	≤ 0,20
Dimensional stability (humidity)	EN 669 (Annex C)	%	≤ 5
Mass per unit area	ISO 23997	g/m²	Nominal Value (8000) -10%; +13%
Classification Properties - EN 14085 + EN 12104 + EN 655			
Nominal thickness for cork surface	EN ISO 24340	mm	≥ 3,0
Castor chair	EN 425	Visual effect after 25 000 cycles	No disturbance to the surface other than slight change in appearance and no delamination shall occur
Simulated movement of a furniture leg	EN 424	Visual effect	No damage shall be visible after testing with a type 2 foot
Residual indentation	EN ISO 24343-1	mm	≤ 0,40

Floating			
			WRT **905 x 295 x 10,5mm |** 35 5/8 x 11 5/8 x 3/8" **605 x 445 x 10,5mm |** 23 13/16 x 17 1/2 x 3/8" **1220 x 140 x 10,5mm |** 48 x 5 1/2 x 3/8"
Safety properties - EN 14041			
Fire resistance	EN 13501-1	Class	C_{fl-s1}
Slip classification	EN 13893	Class	DS
Formaldehyde emission	EN 717-1	Class	E1
Electrical behaviour	EN 1815	KV	Not Antistatic
Content pentachlorophenol (PCP)	EN 14041 (Annex B)	mg/Kg	PCP Free
Optional properties			
Stains resistance	ISO 26987(a)	Grade (b)	Grade 5 (NaOH Grade 4)
Thermal resistance	EN 12667	$(m^2K)/W$	R≤ 0,150
Impact sound reduction	ISO 140-8	dB (Δ Lw)	16
Reduction improvement	EPH/IHD Works Standard 431	dB(A)	13.2
Difference of loudness		%	51.6
ASTM Standards			
IIC Impact insulation class	ASTM E492 /ASTM E989	IIC (dB)	58
STC Classification for rating sound insulation	ASTM E90 /ASTM E413	STC (dB)	54
Ignition characteristics of finished textile floor covering systems	ASTM D2859		met the criteria
Optical density of smoke	ASTM662	DS(4,0min)	23,7
		DS(4,0min)	32,3
Critical radiant flux	ASTM E648	(W / cm^2)	0,38
Residual indentation	ASTM F1914	(%)	0,2
Thermal conductivity	ASTM C 177	W/(m.K)	0,108
Thermal resistance		$(m^2K)/W$	0,0999

Greenguard Certification helps the identification of interior products and materials that have low chemical emissions, improving the quality of the air in which the products are used. It promotes global sustainability, environmental health, and safety.

TÜV-PROFiCERT-product Interior brand is a voluntary, independent label for VOC-emission and quality of floorings. The results comply with the emission thresholds of AgBB, Belgian VOC regulation, Finnish M1 classification, BREEAM Exemplary Level, LEED v4 (outside North America), RAL-UZ 120 and Austrian Eco Label (Guideline UZ 56).

As of January 2012, France has adopted regulations that limit total VOC emissions of building products. Manufacturers, selling their products in France must obtain a classification ranging from A+ (very low emissions) to C (high emissions). The declared goal is to improve indoor air quality in private/ commercial buildings.

An Environmental Product Declaration is a verified document that reports environmental data of products based on life cycle assessment and other relevant information in accordance with the international standard ISO 14025.

The goal of the German Cork Association is to assure the quality of cork products, as well as the optimization of manufacturing processes and the support of research projects.

(a) The following products were tested; acetone, coffee, NaOH, H_2O_2, shoe polish.

(b) Grade 5 - no visible change / Grade 4 - very minor changes / damages at the surface / Grade 3 - minor changes / damages at the surface / Grade 2 - Strong changes / damages at the surface / Grade 1 - Surface destruction.

Wicanders Flooring Collection is supported by a warranty. Please, read the warranty terms on **www.wicanders.com**

Resist+
Technical Data Sheet

Floating			
			HPS **605 x 445 x 10,5mm |** 23 13/16 x 17 1/2 x 3/8" **905 x 295 x 10,5mm |** 35 5/8 x 11 5/8 x 3/8" **1220 x 140 x 10,5mm |** 48 x 5 1/2 x 3/8"
Level of use Domestic	ISO 10874	Class	
Level of use Commercial	ISO 10874	Class	
Finish Description	-	-	UV-cured Acrylic varnish with nano particles
	Standard-Test Method	**Unit**	**Specification**
General Properties - EN 14085 + EN 12104 + EN 655			
Dimensions: Width Length	EN ISO 24346	mm	± 0,10% up to max. 0,5 max. 2,0
Overall thickness	EN ISO 24346	mm	± 0,25
Squareness	EN ISO 24342	mm	≤ 0,50
Straightness measured at the surface layer	EN ISO 24342	mm	≤ 0,30
Flatness of the panel (Length - Concave / Convex)	EN 14085 (Annex A)	%	≤ 0,50 / ≤ 1,0
Flatness of the panel (Width - Concave / Convex)	EN 14085 (Annex A)	%	≤ 0,10 / ≤ 0,15
Openings between panels	EN 14085 (Annex B)	mm	≤ 0,20
Height difference between panels	EN 14085 (Annex B)	mm	≤ 0,20
Dimensional stability (humidity)	EN 669 (Annex C)	%	≤ 5
Mass per unit area	ISO 23997	g/m²	Nominal Value (8500) -10%; +13%
Classification Properties - EN 14085 + EN 12104 + EN 655			
Thickness of wear layer (Wear group T)	EN ISO 24340	mm (Nominal value)	≥ 0,5
Castor chair	EN 425	Visual effect after 25 000 cycles	No disturbance to the surface other than slight change in appearance and no delamination shall occur
Simulated movement of a furniture leg	EN 424	Visual effect	No damage shall be visible after testing with a type 2 foot
Residual indentation	EN ISO 24343-1	mm	≤ 0,25

Floating			
			HPS **605 x 445 x 10,5mm |** 23 13/16 x 17 1/2 x 3/8" **905 x 295 x 10,5mm |** 35 5/8 x 11 5/8 x 3/8" **1220 x 140 x 10,5mm |** 48 x 5 1/2 x 3/8"
Safety properties - EN 14041			
Fire resistance	EN 13501-1	Class	C_{fl-s1}
Slip classification	EN 13893	Class	DS
Formaldehyde emission	EN 717-1	Class	E1
Electrical behaviour	EN 1815	KV	Not Antistatic
Content pentachlorophenol (PCP)	EN 14041 (Annex B)	mg/Kg	PCP Free
Optional properties			
Stains resistance	ISO 26987(a)	Grade (b)	Grade 5
Thermal resistance	EN 12667	$(m^2K)/W$	R≤ 0,150
Impact sound reduction	ISO 140-8	dB (Δ Lw)	16
Reduction improvement	EPH/IHD Works Standard 431	dB(A)	11.1
Difference of loudness		%	53.3
ASTM Standards			
IIC Impact insulation class	ASTM E492 /ASTM E989	IIC (dB)	75
STC classification for rating sound insulation	ASTM E90 /ASTM E413	STC (dB)	66
Ignition characteristics of finished textile floor covering systems	ASTM D2859		met the criteria
Optical density of smoke	ASTM662	DS(4,0min)	208,3
		DS(4,0min)	163
Critical radiant flux	ASTM E648	(W / cm^2)	0,68
Residual indentation	ASTM F1914	(%)	0,2
Static load resistance	ASTM F1914	(mm)	0,04
Thermal conductivity	ASTM C 177	W/(m.K)	0,112
Thermal resistance		$(m^2K)/W$	0,097

Greenguard Certification helps the identification of interior products and materials that have low chemical emissions, improving the quality of the air in which the products are used. It promotes global sustainability, environmental health, and safety.

TÜV-PROFiCERT-product Interior brand is a voluntary, independent label for VOC-emission and quality of floorings. The results comply with the emission thresholds of AgBB, Belgian VOC regulation, Finnish M1 classification, BREEAM Exemplary Level, LEED v4 (outside North America), RAL-UZ 120 and Austrian Eco Label (Guideline UZ 56).

As of January 2012, France has adopted regulations that limit total VOC emissions of building products. Manufacturers, selling their products in France must obtain a classification ranging from A+ (very low emissions) to C (high emissions). The declared goal is to improve indoor air quality in private/ commercial buildings.

An Environmental Product Declaration is a verified document that reports environmental data of products based on life cycle assessment and other relevant information in accordance with the international standard ISO 14025.

Global GreenTagCertTM is an independent certification and rating scheme for green products, recognized by the Green Building Councils of Australia and New Zealand.
This certification also allows the products to be listed in the Ecospecifier Global eco-products.

(a) The following products were tested: Aceton, Coffee, NaOH, H_2O_2, Shoepolish.

(b) Grade 5 - no visible / Grade 4 - very minor changes / damages at the surface / Grade 3 - minor changes / damages at the surface / Grade 2 - strong changes / damages at the surface / Grade 1 - surface destruction.

Wicanders Flooring Collection is supported by a warranty. Please, read the warranty terms on **www.wicanders.com**

cork
Pure

Formats

450 x 450 x 6mm
17 11/16 x 17 11/16 x 1/4"

600 x 150 x 4mm
23 5/8 x 5 7/8 x 3/16"

600 x 300 x 4mm
23 5/8 x 11 13/16 x 3/16"

600 x 300 x 6mm
23 5/8 x 11 13/16 x 1/4"

600 x 450 x 4mm
23 5/8 x 17 11/16 x 3/16"

900 x 150 x 4mm
35 7/16 x 5 7/8 x 3/16"

900 x 300 x 4mm
35 7/16 x 11 13/16 x 3/16"

Glue Down

RANGE

Go	23, $
Essence	23, 31
Resist+	23, 33
Pure	23, 31, Glue down

23 Heavy Traffic Residential areas

31 Moderate Traffic Commercial areas

33 Heavy Traffic Commercial areas

$ Budget products

Glue down

Personality Eden

WICANDERS®

Slate Arctic

C91D002

600 x 450 x 4mm

Slate Arctic

Class

Design, wellbeing and durability.

If you prefer the glue down solution in your projects, you can equally choose the looks available in the Essence / Resist + range.

Take advantage of the rich and broad range of natural and painted looks and create wellbeing in every room enjoying the exclusive qualities of cork - superior comfort and minimal step sound.

Organic stone visuals in soothing light colours as Slate Arctic grant spaces steeped in serenity. Your eyes perceive a stone tile and your feet feel the thermal balance and pleasant touch of cork.

Slate Moccaccino

C91C002

600 x 450 x 4mm

Slate Caffe

C91A002

600 x 450 x 4mm

Flock Tea

C93Z001

600 x 300 x 4mm

Flock Chestnut

C94A001

600 x 300 x 4mm

Flock Moonlight

C91X001

600 x 300 x 4mm

Flock Tea

President Chestnut

C94L001

900 x 300 x 4mm

President Spice

C94K001

900 x 300 x 4mm

President Chocolate

C94I001

900 x 300 x 4mm

Identity Timide

I902002 600 x 300 x 6mm
C92M001 600 x 450 x 4mm

Identity Moonlight

I901002 600 x 300 x 6mm
C92N001 600 x 450 x 4mm

Identity Chestnut

Identity Champagne

I905002 600 x 300 x 6mm
C92O001 600 x 450 x 4mm

Identity Eden

I906002

600 x 300 x 6mm

Identity Silver

I903002

600 x 300 x 6mm

Identity Tea

I910002 600 x 300 x 6mm
C92R001 600 x 450 x 4mm

Identity Chestnut

I932002 600 x 300 x 6mm
C93G001 600 x 450 x 4mm

Identity Nightshade

I921002 600 x 300 x 6mm
C92L001 600 x 450 x 4mm

Originals Natural

RV10003

600 x 300 x 4mm

Originals Traditional

EN01005 600 x 300 x 6mm
RN01008 600 x 300 x 4mm

Originals Rhapsody

DN12003

600 x 300 x 6mm

Originals Country

DN02006

600 x 300 x 6mm

Originals Shell

DN10001 600 x 300 x 6mm
RN14002 600 x 300 x 4mm
RV14004 600 x 300 x 4mm

Originals Dawn

DN13001 600 x 300 x 6mm
RN13001 600 x 300 x 4mm
RV13006 600 x 300 x 4mm

Originals Character

DN22001 600 x 300 x 6mm
RN16001 600 x 300 x 4mm
RV16004 600 x 300 x 4mm

Originals Harmony

DN11003 600 x 300 x 6mm
DN11004 600 x 300 x 6mm
RN11002 600 x 300 x 4mm
RV11007 600 x 300 x 4mm

Originals Character

Originals Symphony

DN20001 600 x 300 x 6mm
RN20001 600 x 300 x 4mm

Originals Accent

RN17001

600 x 300 x 4mm

Personality Champagne

P905003

600 x 300 x 6mm

Personality Moonlight

P901003

600 x 300 x 6mm



Personality Tea

Personality Timide

P902003

600 x 300 x 6mm

Personality Eden

P906003

600 x 300 x 6mm

Personality Tea

P910003

600 x 300 x 6mm

Personality Spice

C95U002

600 x 300 x 4mm

Personality Chestnut

C94X004

600 x 300 x 4mm

Fashionable Grafite

C95M001

900 x 300 x 4mm

Contemporary

Innovation to use and live your space

If you're looking for out of the mainstream flooring looks, that will astonish all your visitors, here's a set of 32 curated solutions.

For residential or commercial use, you can pick expressive and refreshing reinvented cork patterns that will assure a Contemporary statement to your space. The hard task will be to choose one!

In your living room project, you can perfectly balance the power of these flooring looks with light and day-to-day objects or toys and the result will still be impressive.

Fashionable Grafite

Fashionable Glacier

C95J001

900 x 300 x 4mm

Fashionable Cement

C95L001

900 x 300 x 4mm

Fashionable Macchiato

C95N001

900 x 300 x 4mm

Fashionable Mystic

C95K001

900 x 300 x 4mm

Contemporary



Lane Timide

C93R001

900 x 300 x 4mm

Lane Chestnut

C93S001

900 x 300 x 4mm



Linn Moon

Linn Blush

C91O003

600 x 450 x 4mm

Linn Moon

C91N003

600 x 450 x 4mm

Linn Cioccolato

C91L003

600 x 450 x 4mm

Skin Dark



Skin Timide
C95C001

450 x 450 x 6mm

Skin Natural
C95V001

450 x 450 x 6mm

Skin Dark
C95B001

450 x 450 x 6mm

Reed Meridian

C93T001

900 x 300 x 4mm

Reed Barley

C93U001

900 x 300 x 4mm

Traces Tea

C94M001

600 x 150 x 4mm

Traces Tea



Traces Moonlight

C95P001 600 x 150 x 4mm
C95P002 900 x 150 x 4mm

Traces Champagne

C95O001 600 x 150 x 4mm
C95O002 900 x 150 x 4mm

Traces Spice

C94N001

600 x 150 x 4mm

Traces Chestnut

C95R001 600 x 150 x 4mm
C95R002 900 x 150 x 4mm

Contemporary

Meet the Novel 3

Novel Brick, Twist, and Edge, signed collection by the renowned industrial designer Antonio Bullo, are also available in the Essence/ Resist+ range!

Novel Brick Flax

C96T001

900 x 300 x 4mm

Novel Brick Drill

C96S001

900 x 300 x 4mm

Novel Brick Natural

Novel Brick Natural

C9G1001

900 x 300 x 4mm

Novel Brick Taffeta

C96R001

900 x 300 x 4mm

Novel Twist Natural
C9G0001

900 x 300 x 4mm

Novel Twist Velvet
C96Q001

900 x 300 x 4mm

Novel Twist Drill
C96P001

900 x 300 x 4mm

Novel Twist Taffeta
C96O001

900 x 300 x 4mm

Novel Edge Natural
C9G2001

900 x 300 x 4mm

Novel Edge Lace
C96W001

900 x 300 x 4mm

Novel Edge Drill
C96V001

900 x 300 x 4mm

Novel Edge Burlap
C96U001

900 x 300 x 4mm

Technical solution



Finishing & Warranty

PU

For domestic areas that need a natural look and a soft touch, PU is the right solution.

23 — WARRANTY 10 YEARS

SANDED

For those seeking for a customized solution, the Sanded option is what you are looking for. The surface is prepared to be finished on site, so you can select the finish that best suits your needs.

23* — WARRANTY 10 YEARS

31** — WARRANTY 5 YEARS

XTREME WRT
WEAR RESISTANCE TECHNOLOGY

Xtreme WRT surface finish (Wear Resistance Technology) is the right choice to fit the most demanding needs of domestic areas. This environmental friendly varnish is based on a ceramic compound which ensures exceptional strength and longevity.

23 — WARRANTY 15 YEARS

31 — WARRANTY 5 YEARS

*Must be varnished on-site with minimum 3 coats of W-2000 or another recommended varnish.
**Must be varnished on-site with minimum 3-4 coats of W-2000 or another recommended varnish for this level of use (see recommendation table in the packaging).

Technical Data Sheet

Glue down					
			WRT **600 x 300 x 4mm |** 23 5/8 x 11 13/16 x 3/16"	**PU** **450 x 450 x 6mm |** 17 11/16 x 17 11/16 x 1/4" **600 x 150 x 4mm |** 23 5/8 x 5 7/8 x 3/16" **600 x 300 x 4mm |** 23 5/8 x 11 13/16 x 3/16" **600 x 300 x 6mm |** 23 5/8 x 11 13/16 x 1/4" **600 x 450 x 4mm |** 23 5/8 x 17 11/16 x 3/16" **900 x 150 x 4mm |** 35 7/16 x 5 7/8 x 3/16" **900 x 300 x 4mm |** 35 7/16 x 11 13/16 x 3/16"	**Sanded** **600 x 300 x 4mm |** 23 5/8 x 11 13/16 x 3/16" **600 x 300 x 6mm |** 23 5/8 x 11 13/16 x 1/4"
Level of use Domestic	ISO 10874	Class			(d)
Level of use Commercial	ISO 10874	Class		-	(e)
Finish Description	-	-	UV-cured Acrylic varnish with ceramic beads	Water based PU varnish	Sanded surface
	Standard-Test Method	**Unit**	**Specification**		
General Properties - EN 14085 + EN 12104 + EN 655					
Dimensions:	EN ISO 24346	mm	≤ 0,2% up to max. 1,0	≤ 0,2% up to max. 1,0	≤ 0,2% up to max. 1,0
Overall thickness	EN ISO 24346	mm	0; + 0,25	0 ;+ 0,25	0; + 0,25
Squareness	EN ISO 24346	mm	-	-	≤ 0,5
Straightness measured at the surface layer	EN ISO 24346	mm	-	-	≤ 1,0
Squareness and Straightness: ≤ 400mm > 400mm	EN ISO 24346	mm	 ≤ 0,5 ≤ 1,0	 ≤ 0,5 ≤ 1,0	 ≤ 0,5 ≤ 1,0
Dimensional stability after exposure to heat	EN ISO 23999	%	≤ 0,4	≤ 0,4	-
Curling after exposure to heat	EN ISO 23999	mm	≤ 6	≤ 6	-
Moisture content	EN 12105	%	3.5-4.5	-	3.5-4.5
Mass per unit area	ISO 23997	g/m²	Nominal Value (2000) ± 10%	4mm: nominal value 1800+ - 10% 6mm: nominal value 2700 + - 10%	-
Apparent density	EN 672	Kg/m³	≥ 95% of Nominal Value (450)	≥ 95% of nominal value (450)	≥ 95% of nominal value (450)
Classification Properties - EN 14085 + EN 12104 + EN 655					
Overall thickness	EN ISO 24346	mm	≥ 4,0	≥ 4,0	-
Apparent density	EN 672	Kg/m³	≥ 450	≥ 450	-
Castor chair	EN 425	Visual effect after 25 000 cycles	-	No disturbance to the surface other than slight change in appearance and no delamination shall occur	-

Glue down					
			WRT **600 x 300 x 4mm |** 23 5/8 x 11 13/16 x 3/16"	**PU** **450 x 450 x 6mm |** 17 11/16 x 17 11/16 x 1/4" **600 x 150 x 4mm |** 23 5/8 x 5 7/8 x 3/16" **600 x 300 x 4mm |** 23 5/8 x 11 13/16 x 3/16" **600 x 300 x 6mm |** 23 5/8 x 11 13/16 x 1/4" **600 x 450 x 4mm |** 23 5/8 x 17 11/16 x 3/16" **900 x 150 x 4mm |** 35 7/16 x 5 7/8 x 3/16" **900 x 300 x 4mm |** 35 7/16 x 11 13/16 x 3/16"	**Sanded** **600 x 300 x 4mm |** 23 5/8 x 11 13/16 x 3/16" **600 x 300 x 6mm |** 23 5/8 x 11 13/16 x 1/4"
Simulated movement of a furniture leg	EN 424	Visual effect	-	No damage shall be visible after testing with a type 2 foot	-
Residual indentation	EN ISO 24343-1	mm	≤ 0,40	≤ 0,40	≤ 0,40
Safety properties - EN 14041					
Fire resistance	EN 13501-1	Class	D_{fl-s1}	4mm: C_{fl-s1} / 6mm: D_{fl-s1}	C_{fl-s1}
Slip classification	EN 13893	Class	DS	DS	-
Formaldehyde emission	EN 717-1	Class	E1	E1	E1
Electrical behaviour	EN 1815	KV	Not Antistatic	Not antistatic	Not antistatic
Content pentachlorophenol (PCP)	EN 14041 (Annex B)	mg/Kg	PCP Free	PCP Free	PCP Free
Optional properties					
Stains resistance	ISO 26987(b)	Grade (c)	Grade 0	Grade 0 (ammonia grade 3; Iodine grade 2)	-
Thermal resistance	EN 12667	$(m^2K)/W$	R≤ 0,150	R≤ 0,150	R≤ 0,150
Impact sound reduction	ISO 140-8	dB (Δ Lw)	-	4mm: 13 /6mm: 14	-
Reduction improvement	EPH/IHD Works Standard 431	dB(A)	-	4mm: 15,3 / 6mm: 17,2	-
Difference of loudness		%	-	4mm: 65 / 6mm: 69	-
ASTM Standards					
Stains resistance	ASTM 925	Grade (a)	Grade 0	-	-

(a) The following products were tested: White vinegar (5% acetic acid), Rubbing alcohol (70% Isopropyl), Mineral Oil, 5% Sulfuric acid, Household bleach, Household Ammonia, Kerosene, Olive Oil, Unleaded gasoline.

(b) The following products were tested: desinfectant, Cleaning benzine, Ammonia solution, Ethanol, Citric Acid, Iodine.

(c) Grade 0 - Unchanged / Grade 1 - Little changed / Grade 2 - Moderately changed / Grade 3 - Strong changed.

(d) Must be varnished on-site with minimum 3 coats of w-2000 or another recommended varnish.

(e) Must be varnished on-site with minimum 3-4 coats of w-2000 or another recommended varnish for this leve of use (see recommendation table in the packaging).

Wicanders Flooring Collection is supported by a warranty.
Please, read the warranty terms on **www.wicanders.com**

Greenguard Certification helps the identification of interior products and materials that have low chemical emissions, improving the quality of the air in which the products are used. It promotes global sustainability, environmental health, and safety.

TÜV-PROFiCERT-product Interior brand is a voluntary, independent label for VOC-emission and quality of floorings. The results comply with the emission thresholds of AgBB, Belgian VOC regulation, Finnish M1 classification, BREEAM Exemplary Level, LEED v4 (outside North America), RAL-UZ 120 and Austrian Eco Label (Guideline UZ 56).

As of January 2012, France has adopted regulations that limit total VOC emissions of building products. Manufacturers, selling their products in France must obtain a classification ranging from A+ (very low emissions) to C (high emissions). The declared goal is to improve indoor air quality in private/ commercial buildings.

An Environmental Product Declaration is a verified document that reports environmental data of products based on life cycle assessment and other relevant information in accordance with the international standard ISO 14025.

The goal of the German Cork Association is to assure the quality of cork products, as well as the optimization of manufacturing processes and the support of research projects.

(only for gluedown solution)
Eco Mark is a Japan Environment Association program that promotes environment-friendly lifestyles through wise product choices. This certification analyses criteria for every product category taking into consideration the environment life stage.

Get the best results with Wicanders accessories

Underlays

Increased comfort and insulation

To reinforce the already amazing insulation properties of cork flooring, Wicanders provides Acousticork, a cork underlay which lets you turn your home into an even cosier space.

Acousticork reduces the walking sound and heat dispersion. Overall, it makes rooms cosier and more peaceful, which is essential in making any house feel like home.

- High durability and long term resilience
- Increases floor thermal insulation
- Natural and sustainable product
- Easy to handle and install

Maintenance

Optimal care for an everlasting beauty

To keep your floor spotless, Wicanders has available a set of auxiliary products. Each of these has a specific purpose and is designed to make the caring of your floor as easy as possible.

Regular Maintenance

Wicanders Soft Cleaner
This mild detergent is appropriate for weekly or even daily cleaning. It can be used to remove dirt, stopping it from infiltrating in the joints and in the regular embossing of the product.

Wicanders Spray Cleaner
Designed for regular cleaning, this mild detergent has the advantage of being a spray, which makes it a quick and easy solution to apply directly on the floor. It is very effective in cleaning dirt or grease stains.

Skirtings

The perfect match to make a pleasant interior

In order to help create a more classy and harmonious interior, Wicanders provides skirting profiles to complement your floor. Create your ideal transition between the walls and the floor, whether by an exact match or contrasting colours.

Contact your supplier for information on the available skirting references.

CREATED BY HUMANS, INSPIRED BY NATURE

Wicanders represents an unique balance between the creation of innovative products and the protection of the environment, combining state-of-the-art technology with the amazing natural properties of cork.

A green production process – Cork waste resulting from the industrial process is 100% reincorporated into the production, creating an ecologically virtuous cycle.

Intensive use of biomass – The cork powder resulting from the industrial process is burned in order to create biomass which is then used as a major source of energy to supply the production facilities, allowing Wicanders also to base its production in a sustainable source of energy.

Low carbon emission – Cork´s natural property of retaining CO_2 combined with an eco-sustainable industrial process allows Wicanders to develop eco-efficient products with a low carbon emissions factor, positively contributing to a sustainable environment.

Indoor Air Quality – Refined to be free of harmful phthalates Wicanders products have been awarded with worldwide indoor air quality certifications such as Greenguard Gold or A+.

Negative Global Warming Potential - The majority of Wicanders products contribute to reduce global warming, since they retain more CO_2 than they emit.

CORK – A SUSTAINABLE RAW MATERIAL

Cork comes from the bark of the Cork Oak, a slowly growing tree from the Mediterranean basin that may live for 200 years and plays a central role in the social and economic development of this region.

Truly environmental-friendly – The extraction of cork and its related industries are remarkably sustainable, since the tree is never cut or damaged during the extraction process and the bark regenerates after each harvest.

Positive ecological impact – It is estimated that the Portuguese cork oak forest – Montado – is responsible for retaining 5% of the country's annual CO_2 emission, representing 4.8 million tons per year.

An activity that crosses generations – Cork Oaks are manually harvested for the first time when the tree is 25 years old and then every 9 years making it an activity that passes from generation to generation.

A positive economic and social impact – Cork harvesting is a regular and cyclical process that contributes to environmental, economic and social sustainability of the rural areas in the Mediterranean region.

Rural areas economic engine – The cork activity as well as related activities fueled by this industry create jobs in many rural areas of the country, encouraging people to settle there.



Product Selector

RANGE	Go	Essence			Resist+			Pure	
FINISHING	WPS	WRT			HPS			PU	
CLASS OF USE (ISO 10874)	23 Residential	23 Residential | 31 Commercial			23 Residential | 33 Commercial			23 Residential	
BEVEL	No Bevel	No Bevel		4 Side Bevel	4 Side Micro Bevel			No Bevel	
DIMENSION (mm | inches)	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 3/8"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	900 x 300 x 4 35 7/16 x 11 13/16 x 3/16"
Allure	GB02002								
Ambition	GB06002								
Appeal	GB10002								
Attraction	GB03002								
Captivation	C824001								
Charm	GB01003								
Desire	GA21003								
Dream	GB05003								
Emotion	GB08002								
Fashionable Cement			C85L001			C15L001			C95L001
Fashionable Glacier			C85J001			C15J001			C95J001
Fashionable Grafite			C85M001			C15M001			C95M001
Fashionable Macchiato			C85N001			C15N001			C95N001
Fashionable Mystic			C85K001			C15K001			C95K001
Flock Champagne				C81Y001			C11Y001		
Flock Chestnut				C84A001			C14A001		
Flock Moonlight				C81X001			C11X001		

Pure								
PU						Sanded		WRT
23 Residential						23 Residential | 31 Commercial		
4 Side Bevel					2 Side Bevel	No Bevel		No Bevel
450 x 450 x 6 17 11/16 x 17 11/16 x 1/4"	600 x 150 x 4 23 5/8 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 450 x 4 23 5/8 x 17 11/16 x 3/16"	900 x 150 x 4 35 7/16 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"
		C94A001						
		C91X001						

Product Selector

RANGE	Go	Essence			Resist+			Pure	
FINISHING	WPS	WRT			HPS			PU	
CLASS OF USE (ISO 10874)	23 Residential	23 Residential | 31 Commercial			23 Residential | 33 Commercial			23 Residential	
BEVEL	No Bevel	No Bevel		4 Side Bevel	4 Side Micro Bevel			No Bevel	
DIMENSION (mm | inches)	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 3/8"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	900 x 300 x 4 35 7/16 x 11 13/16 x 3/16"
Flock Tea				C83Z001			C13Z001		
Identity Champagne			I805002			C12O001			
Identity Chestnut			I832002			C13G001			
Identity Eden			I806002			C12P001			
Identity Moonlight			I801002			C12N002			
Identity Nightshade			I821002			C12L001			
Identity Silver			I803002			C12Y002			
Identity Tea			I810002			C12R001			
Identity Timide			I802002			C12M001			
Impulse	GB09002								
Intense	GB11002								
Lane Chestnut				C83S001			C13S001		C93S001
Lane Timide				C83R001			C13R001		C93R001
Linn Blush		C81O001			C11O003				
Linn Cioccolato		C81L001			C11L002				
Linn Moon		C81N001			C11N001				
Moment	GA01002								

Pure								
PU						Sanded		WRT
23 Residential						23 Residential | 31 Commercial		
4 Side Bevel					2 Side Bevel	No Bevel		No Bevel
450 x 450 x 6 17 11/16 x 17 11/16 x 1/4"	600 x 150 x 4 23 5/8 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 450 x 4 23 5/8 x 17 11/16 x 3/16"	900 x 150 x 4 35 7/16 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"
		C93Z001						
			I905002	C92O001				
			I932002	C93G001				
			I906002					
			I901002	C92N001				
			I921002	C92L001				
			I903002					
			I910002	C92R001				
			I902002	C92M001				
				C91O003				
				C91L003				
				C91N003				

Product Selector

RANGE	Go	Essence			Resist+			Pure	
FINISHING	WPS	WRT			HPS			PU	
CLASS OF USE (ISO 10874)	23 Residential	23 Residential | 31 Commercial			23 Residential | 33 Commercial			23 Residential	
BEVEL	No Bevel	No Bevel		4 Side Bevel	4 Side Micro Bevel			No Bevel	
DIMENSION (mm | inches)	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 3/8"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	900 x 300 x 4 35 7/16 x 11 13/16 x 3/16"
Novel Brick Drill			C86S001			C16S001			C96S001
Novel Brick Flax			C86T001			C16T001			C96T001
Novel Brick Natural			C8G1001			C1G1001			C9G1001
Novel Brick Taffeta			C86R001			C16R001			C96R001
Novel Edge Burlap			C86U001			C16U001			C96U001
Novel Edge Drill			C86V001			C16V001			C96V001
Novel Edge Lace			C86W001			C16W001			C96W001
Novel Edge Natural			C8G2001			C1G2001			C9G2001
Novel Twist Drill			C86P001			C16P001			C96P001
Novel Twist Natural			C8G0001			C1G0001			C9G0001
Novel Twist Taffeta			C86O001			C16O001			C96O001
Novel Twist Velvet			C86Q001			C16Q001			C96Q001
Originals Accent			O841002			C141001			
Originals Character			O822002			C122001			
Originals Country			O832004			C132001			
Originals Dawn			O849003			C149001		DN13001	
Originals Harmony			O821005			C121001		DN11003	

Pure								
PU						Sanded		WRT
23 Residential						23 Residential | 31 Commercial		
4 Side Bevel					2 Side Bevel	No Bevel		No Bevel
450 x 450 x 6 17 11/16 x 17 11/16 x 1/4"	600 x 150 x 4 23 5/8 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 450 x 4 23 5/8 x 17 11/16 x 3/16"	900 x 150 x 4 35 7/16 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"
						RN17001		
			DN22001			RN16001		RV16004
			DN02006					
						RN13001		RV13006
			DN11004			RN11002		RV11007

Product Selector

RANGE	Go	Essence			Resist+			Pure	
FINISHING	WPS	WRT			HPS			PU	
CLASS OF USE (ISO 10874)	23 Residential	23 Residential | 31 Commercial			23 Residential | 33 Commercial			23 Residential	
BEVEL	No Bevel	No Bevel		4 Side Bevel	4 Side Micro Bevel			No Bevel	
DIMENSION (mm | inches)	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 3/8"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	900 x 300 x 4 35 7/16 x 11 13/16 x 3/16"
Originals Natural			O801007			C111001			
Originals Rhapsody			O825005			C125001			
Originals Shell			O824003			C124001		DN10001	
Originals Symphony			O830003			C130001		DN20001	
Originals Traditional									
Personality Champagne			P805002			C13K001			
Personality Chestnut			P832002			C14X001			
Personality Eden			P806002			C15S001			
Personality Moonlight			P801002			C14H001			
Personality Spice			P808002			C15U001			
Personality Tea			P810002			C15T001			
Personality Timide			P802002			C13J001			
President Chestnut				F832003			C14L001		C94L001
President Chocolate				F831002			C14I001		C94I001
President Spice				F808002			C14K001		C94K001
Reed Barley				C83U001			C13U001		C93U001
Reed Meridian				C83T001			C13T001		C93T001

Pure								
PU						Sanded		WRT
23 Residential						23 Residential | 31 Commercial		
4 Side Bevel					2 Side Bevel	No Bevel		No Bevel
450 x 450 x 6 17 11/16 x 17 11/16 x 1/4"	600 x 150 x 4 23 5/8 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 450 x 4 23 5/8 x 17 11/16 x 3/16"	900 x 150 x 4 35 7/16 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"
								RV10003
			DN12003					
						RN14002		RV14004
						RN20001		
						RN01008	EN01005	
			P905003					
		C94X004						
			P906003					
			P901003					
		C95U002						
			P910003					
			P902003					

Product Selector

RANGE	Go	Essence			Resist+			Pure	
FINISHING	WPS	WRT			HPS			PU	
CLASS OF USE (ISO 10874)	23 Residential	23 Residential | 31 Commercial			23 Residential | 33 Commercial			23 Residential	
BEVEL	No Bevel	No Bevel		4 Side Bevel	4 Side Micro Bevel			No Bevel	
DIMENSION (mm | inches)	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 3/8"	605 x 445 x 10.5 23 13/16 x 17 1/2 x 3/8"	905 x 295 x 10.5 35 5/8 x 11 5/8 x 3/8"	1220 x 140 x 10.5 48 x 5 1/2 3/8"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	900 x 300 x 4 35 7/16 x 11 13/16 x 3/16"
Skin Dark									
Skin Natural									
Skin Timide									
Slate Arctic		C81D001			C11D002				
Slate Caffe		C81A001			C11A002				
Slate Moccaccino		C81C001			C11C002				
Traces Champagne				C85O001			C15O001		
Traces Chestnut				C85R001			C15R001		
Traces Moonlight				C85P001			C15P001		
Traces Spice				Q808003			C14N001		
Traces Tea				Q810001			C14M001		
Tweedy SawCut Moon			C86D001						
Tweedy Wood Cocoa			C86F001						
Tweedy Wood Coffe			C86I001						
Tweedy Wood Timide			C86H001						

Pure								
PU						Sanded		WRT
23 Residential						23 Residential | 31 Commercial		
4 Side Bevel					2 Side Bevel	No Bevel		No Bevel
450 x 450 x 6 17 11/16 x 17 11/16 x 1/4"	600 x 150 x 4 23 5/8 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 450 x 4 23 5/8 x 17 11/16 x 3/16"	900 x 150 x 4 35 7/16 x 5 7/8 x 3/16"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"	600 x 300 x 6 23 5/8 x 11 13/16 x 1/4"	600 x 300 x 4 23 5/8 x 11 13/16 x 3/16"
C95B001								
C95V001								
C95C001								
				C91D002				
				C91A002				
				C91C002				
	C95O001				C95O002			
	C95R001				C95R002			
	C95P001				C95P002			
	C94N001							
	C94M001							

Wicanders' range

RANGE	LOOKS: cork	LOOKS: wood	LOOKS: stone
Go	23 $	23 32 $	23 31 $
Essence	23 31	23 32	23 32
Resist	–	23 33	–
Resist+	23 33	23 33 +	23 33 +
Hydrocork	–	23 33	23 33
Pure	23 31	–	–
Parquet	–	Engineered wood	–

23 Heavy Traffic Residential areas
31 Moderate Traffic Commercial areas
32 Medium Traffic Commercial areas
33 Heavy Traffic Commercial areas
$ Budget products
Glue down
+ Extra Cork
Waterproof

WICANDERS®

Nature at your feet

AMORIM

HeadQuarters
Amorim Revestimentos S.A
(+351) 227 475 600
geral.ar@amorim.com

www.wicanders.com
www.akyzemin.com

DE	Amorim Deutschland GmbH (+49) 4221 5 93-01	germany.ar.de@amorim.com
BE NE LUX	Amorim Benelux B.V. (+31) 166 604 111	info.ar.nl@amorim.com
AT	Amorim Deutschland GmbH (+43) 1 54 51 65 10	austria.ar.de@amorim.com
CH	Amorim Flooring Switzerland AG (+41) 41 726 20 20	info@amorim.ch
PT	Amorim Revestimentos, S.A. (+351) 227 475 600	geral.ar@amorim.com
ES	Amorim Revestimentos, S.A. (+34) 902 307 407	info.ar.es@amorim.com
FR	Amorim Revestimentos, S.A. (+33) 800 914 848	info.ar.fr@amorim.com
DK	Timberman Denmark A/S (+45) 995 252 52	timberman@timberman.dk
PL	Dom Korkowy, Sp. z o.o. (+48) 126 379 639	krakow@domkorkowy.pl
US	Amorim Flooring North America (+1) 410 553 60 62	info.ar.us@amorim.com
RU	Amorim Flooring Rus, OOO (+7) 495 280 7860	info.ar.ru@amorim.com

COMPETE 2020 PORTUGAL 2020 UNIÃO EUROPEIA Fundo Europeu de Desenvolvimento Regional CE

63750MT_INT | Rev000 | Dec2017