WICANDERS WISE

Natural Performance



AMORIM CORK FLOORING

WICANDERS WISE

Wicanders Wise has a legacy that goes back to 1868. It is part of Amorim Cork Flooring, the global leading brand in cork-based flooring solutions, present in more than 80 countries worldwide. With respect for nature as one of its core values, Wicanders Wise has developed durable and sustainable flooring and wall covering solutions with the exclusive comfort provided by cork. Its portfolio is 100% PVC free and has a remarkable negative carbon balance, helping to reduce global warming potential.

By combining state of the art technology with this unique raw material, we achieve the highest standard in flooring.

Available with Cork, Wood and Stone visuals, Wicanders Wise cork floors endure impacts and are very comfortable to walk and stand on, while providing a silent and thermally insulated environment.

A new level of realism in flooring



Wicanders Wise celebrates an important milestone, and we proudly introduce a 100% PVC free product portfolio, showcasing our unwavering commitment to sustainability and eco-conscious design. With our new digital printing collection, Wicanders Wise offers a wide range of natural products, with an exceptional level of realism, brought to life through cutting-edge technology. Feel the intricate texture of wood and the softness of stone - every knot and grain are carefully designed and replicated in an exquisite selection of visuals that will defy the senses. Discover our latest collections, 100% PVC free, 100% realistic and 100% powered by the unmatched comfort of cork.

Natural Performance

- Unprecedent level of realism with natural texture
- Unlimited design possibilities
- Premium cork comfort
- Negative carbon balance
- Made of renewable resources
- Highly resistant and exceptionally durable
- Suitable for all residential and commercial areas

WICANDERS WISE

SILENCE

SILENCE Reduces the walking sound up to 53%.





INDOOR AIR QUALITY





IMPACT RESISTANCE


2.0


OCKABSORBING	6 D.
lork.	開始があると
inoleum	0.259
aminate	and the second s
	C. CONSTRUCT
leramics	1.50
A REAL PROPERTY AND A REAL	
	High

NATURAL THERMAL INSULATION

INFRARED FOOT TEMPERATURE










NATURAL THERMAL INSULATION Optimal temperature all year round.

WALKING COMFORT





2 Less lumbar pain, more energetic walking pattern

3 Lower heel strike perception, higher comfort

4 Decreases average plantar pressures

COLD

НОТ

INDOOR AIR QUALITY

Compliance with the strictest indoor air quality standards after being tested on over 2000 potential chemicals.



WALKING COMFORT


Wicanders Wise floors are the perfect mix to reduce heel strike impacts and related body tensions, but stable enough to help the foot impulse and provide the needed stability to reduce effort on walking and decrease body fatigue.





cork Inspire

Cork Inspire is a sustainable floor available in a selection of biophilic designs made of natural cork veneers. Ideal for those who are looking for a floating floor with superior comfort and excellent thermal and acoustic performance.



PRODUCT INFORMATION

Dimension	
Thickness	
Bevel	
Finishing	
Locking system	

Class of use & Warranty





1225 x 195 mm

7,0 mm

4 Sides Beveled









80003473 - Identity Nightshade



80003474 - Identity Moonlight



80003475 - Identity Chestnut



80003477 - Traces Tea



80003478 - Traces Spice



80003479 - Traces Jasmim



80003480 - Traces Marfim



80003481 - Traces Natural



80003483 - Shell Jasmim



80003484 - Shell Marfim



80003485 - Originals Shell



80003486 - Originals Harmony




80003487 - Originals Rhapsody



80003489 - Lane Antique White



80003490 - Fashionable Antique White



80003491 - Fashionable Cement



80003492 - Fashionable Grafite





CE marking indicates conformity with health, safety and environmental standards for products sold within the European Economic Area (EEA).



DAS KORK

CE

Assures the quality of cork products, as well as the optimization of manufacturing processes and the support of research projects.



FRENCH REGULATION ON VOC EMISSIONS

French certification that classifies products according to their level of voc emissions. Our products have been classified at the highest level (A+).



TÜV-PROFICERT

Tüv-Proficert is a transnational certificate for voc-emission and air quality, certifying that a product complies with different national regulations.



BLUE ANGEL

Voluntary certification that follows strict environmental standards and is recognized as a reference guide for a more sustainable way of life.



GREENGUARD CERTIFICATION

North-american certification that identifies products that have low chemical emissions, improving the air in which they are used. Our products are awarded with the GOLD certification.



EPD (ENVIRONMENTAL PRODUCT DECLARATION)

Third-party independent evaluation that reports environmental data of products based on their life cycle assessment.



LEED

M1

Wicanders products contribute with points in the following categories: Materials and Resources / Indoor Environmental Quality.



BREEAM

Wicanders products contribute with points in the following categories: Health and well being / Materials.



Presents emission requirements for building materials, fixture and furniture used in office and residential buildings with respect to good indoor air quality.



HEALTH PRODUCT DECLARATION

Provides full disclosure of potential chemicals of concern in products by comparing product ingredients against a set of prioritized red lists.



NORDIC SWAN ECOLABEL

Is one of the world's toughest environmental certifications, and a powerful tool for producers and brand owners, that offers a recipe on how to reduce the environmental impact from production to consumption of goods, and credible third party certified guidance for their consumers and professional buyers.

TECHNICAL DATA SHEET

WICANDERS WISE

cork Inspire

Technical Data Sheet	Standard	Unit / Requirement	Value		
Dimension (LxWxT)	-	mm	1225x195x7		
Mass per unit	-	Kgs/m ²	7,4		
Packaging (box / pallet)	-	m²	1,862 / 81,928		
Level of use Domestic	ISO 10874	Class	23		
Level of use Commercial	ISO 10874	Class	33		
General properties - EN 16511					
Thickness, t -	ISO 24337	Δ tavg \leq 0,50 mm, relative to nominal value / tmax - tmin \leq 0,50 mm	Complies		
Length, I	ISO 24337	≤1500 mm: Δl ≤ 0,5 mm / >1500 mm: Δl ≤ 0,3 mm/m	Complies		
Width, w	ISO 24337	Δ wavg \leq 0,10 mm, relative to nominal value / wmax - wmin \leq 0,20 mm	Complies		
Squareness, q	ISO 24337	max ≤ 0,20 mm	Complies		
Straightness, s	ISO 24337	max ≤ 0,30 mm/m	Complies		
Openings, o	ISO 24337	max ≤ 0,20 mm	Complies		
Height difference, h	ISO 24337	hmax ≤ 0,15 mm	Complies		
${\sf Flatnessofthepanel(Length-concave/convex)}$	ISO 24337	concave \leq 0,50 %, / convex \leq 1,0 %	Complies		
Flatness of the panel (Width - concave / convex)	ISO 24337	concave \leq 0,15 %, / convex \leq 0,20 %	Complies		
Classification properties - EN 16511					
Wear resistance IP	EN 15468, procedure B	≥5000 cycles	Complies		
Impact resistance [mm] (big ball)	EN 13329:2006+A1:2008, Annex F	≥1600 mm	Complies		
Castor chair resistance	EN 425	25 000 cycles	Complies		
Resistance to staining	EN 438-2	Groups 1 and 2: grade 5 Group 3: grade 4	Complies		
Residual indentation	EN ISO 24343-1	≤ 0,2 mm	Complies		
Swelling	ISO 24336	≤ 18 %	Complies		
Dimensional stability due to variation of temperature	EN ISO 23999	≤0,25 %	Complies		
Effect of furniture leg	EN 424	-	No Visible Damage		
Safety properties - EN 14041					
Fire resistance	EN ISO 11925-2 + EN ISO 9239-1 : Class EN 13501-1	Class	Bfl-S1		
Slip Classification	EN 13893	Class	DS		
Formaldehyde emission	EN 717-1	Class	E1		
Content pentachlorophenol (PCP)	EN 12673	% mg/kg	Undetectable		
Additional properties					
Impact sound reduction	EN ISO 10140	dB (Δ Lw)	18		
Walking noise	IHD-W431	dB %	Reduction improvement 12,3 dB Difference of loudness 57%		
Thermal conductivity	EN 12667	W/(mK)	0,111		
Thermal resistance	EN 12667 / ISO 1957	(m2K)/W	0,05		

1 HRT NON PVC PROTECTIVE SURFACE

- 2 NATURAL CORK VENEER
- 3 CORK INLAY
- 4 NON PVC CORK RIGID CORE
- 5 INTEGRATED CORK UNDERLAY





Amorim Cork Flooring, S.A. Rua do Ribeirinho 202 - P.O. Box 13 4536-907 S. Paio de Oleiros - Portugal T. +351 22 747 56 00 E. info.acf@amorim.com

www.wicanders.com

DE	Amorim Deutschland GmbH	(+49) 4221 5 93-01	info.acf.de@amorim.com
BE NE LUX	Amorim Benelux B.V.	(+31) 166 604 111	info.acf.bnl@amorim.com
AT	Amorim Deutschland GmbH	(+43)154516510	info.acf.at@amorim.com
СН	Amorim Flooring Switzerland AG	(+41) 41 726 20 20	info.acf.ch@amorim.com
PT	Amorim Cork Flooring, S.A.	(+351) 227 475 600	info.acf@amorim.com
ES	Amorim Cork Flooring, S.A.	(+351) 227 475 600	info.acf.es@amorim.com
FR	Amorim Cork Flooring, S.A.	(+33) 800 914 848	info.acf.fr@amorim.com
DK	Timberman Denmark A/S	(+45)99525252	timberman@timberman.dk
PL	Dom Korkowy, Sp. z o.o.	(+48)126379639	krakow@domkorkowy.pl
US	Amorim Flooring North America	(+1) 410 553 60 62	info.acf.us@amorim.com
RU	Amorim Flooring Rus, OOO	(+7) 495 280 7860	info.acf.ru@amorim.com
п	Amorim Cork Flooring, S.A.	(+39)0686357287	info.acf.it@amorim.com
FI	Korkkitrio Oy	(+358) 50 554 2616	wicandersmyynti@korkkitrio.fi
sw	Amorim Flooring Sweden	(+46) 311 077 40	info.acf.se@amorim.com
CA	Amorim Flooring Canada	(+1) 548 457 2240	sales.afcan@amorim.com
		NUMBER OF STREET, STRE	the second se





INVESTORS IN PEOPLE[®] We invest in people Standard Recognised by EFQM *** 2021 JAN2024

ICANDERS WISE RETAIL

AMORIM