



cork



WICANDERS®

Nature at your feet

Amorim Revestimentos

Rua do Ribeirinho 202

P. O. Box 13

4536-907 S. Paio de Oleiros


PORTUGAL

p_ (+351) 227 475 600

e_ wicanders.ar@amorim.com

www.wicanders.com

Enabling wellbeing in every room





Nature at your feet

Wicanders has a legacy that goes back to 1868 and is the global leading brand in flooring products with cork technology. Present in more than 70 countries, its promise is to provide Floors for Living, ready for real life, for our home and office, for our different rhythms, for our family and pets, for all those wonderful and simple, yet sometimes unexpected moments. Floors for our lives.

Over the years, Wicanders has developed sustainable floor and wall coverings with exclusive properties due to its innovative Corktech technology. By combining state of the art technology with the exclusive natural properties of cork, a higher standard in flooring is achieved. Available with cork, wood and stone looks, its products are able to provide a silent and thermally insulated environment, that endures impacts and is very comfortable to walk and stand on.

Wicanders means wellbeing, a choice for life!







FROM NATURE, TO YOUR SPECIAL SPACE.

Technology only makes sense if it improves people's lives. This concept finds expression in products developed with Corktech technology.

By using a unique engineered multilayer structure, which combines state of the art technology with the exclusive natural properties of cork, a higher standard in flooring is achieved, providing the perfect match between design and wellbeing.

Wicanders uniqueness is daily achieved by continuously research on how end customers think and live their spaces. Wicanders brings to the market products that provide a silent and thermally insulated environment, that endures through time and are sustainable at the same time.



Silence



**Natural
Thermal Insulation**



**Walking
Comfort**



**Impact
Resistance**




Identity Champagne

cork Go

Formats

905 x 295 x 10,5mm
35 5/8 x 11 5/8 x 3/8"



RANGE	Go		
	Essence		
	Resist*		
	Pure		

Heavy Traffic Residential areas

Moderate Traffic Commercial areas

Heavy Traffic Commercial areas

Budget products

Glue down

Dream



Moment

GA01002

905 x 295 x 10,5mm



Emotion

GB08002

905 x 295 x 10,5mm



Captivation

C824001

905 x 295 x 10,5mm



Attraction

GB03002

905 x 295 x 10,5mm


Class

Dance, laugh, play freely!

Around for many decades, Cork flooring has come into vogue in a major way mostly due to the fact that it is a green renewable resource that offers a unique set of benefits.

When it comes to choosing the ideal flooring for a child's bedroom, there's no better option than cork floors. Perfect for the ones that love to walk around barefoot, play freely, yet not worrying about being too loud with the toys on the floor. It is only a matter of choosing the most suitable look.

These full of class cork looks are available in natural, and light and dark painted colours that will fit and elevate your space as an out of the ordinary ambiance without surpassing the furniture and other decor elements.





Desire



Desire
GA21003





Dream

GB05003

905 x 295 x 10,5mm



Impulse

GB09002

905 x 295 x 10,5mm



Charm

GB01003

905 x 295 x 10,5mm



Ambition

GB06002

905 x 295 x 10,5mm



Appeal

GB10002

905 x 295 x 10,5mm




Intense

GB11002

905 x 295 x 10,5mm





Allure



Allure
GB02002

905 x 295 x 10,5mm



Technical solution


PROTECTIVE SURFACE

GENUINE CORK VENEER

AGGLOMERATED CORK 3,2MM

HDF – HIGH DENSITY FIBERBOARD WITH CORKLOC

INTEGRATED CORK UNDERLAY 1,2MM




Finishing & Warranty



WPS protective finishing (Wear Protect Surface) was developed with an excellent resistance for the most demanding domestic areas. This varnish has an improved long life span and a soft touch.



Technical Data Sheet

Floating			
			WPS 905 x 295 x 10,5mm 35 5/8x11 5/8x3/8"
Level of use Domestic	ISO 10874	Class	
Level of use Commercial	ISO 10874	Class	-
Finish Description	-	-	UV Acrylic varnish
	Standard-Test Method	Unit	Specification

General Properties - EN 14085 + EN 12104 + EN 655

Dimensions: Width Length	EN ISO 24346	mm	± 0,10% up to max. 0,5 max. 2,0
Overall thickness	EN ISO 24342	mm	± 0,25
Squareness	EN ISO 24342	mm	≤ 0,50
Straightness measured at the surface layer	EN ISO 24346	mm	≤ 0,30
Flatness of the panel (Length - Concave / Convex)	EN 14085 (Annex A)	%	≤ 0,50 / ≤ 1,0
Flatness of the panel (Width - Concave / Convex)	EN 14085 (Annex A)	%	≤ 0,10 / ≤ 0,15
Openings between panels	EN 14085 (Annex B)	mm	≤ 0,20
Height difference between panels	EN 14085 (Annex B)	mm	≤ 0,20
Dimensional stability (humidity)	EN 669 (Annex C)	%	≤ 5
Mass per unit area	ISO 23997	g/m²	Nominal Value (8000) -10%, +13%

Floating			
			WPS 905 x 295 x 10,5mm 35 5/8x11 5/8x3/8"

Classification Properties - EN 14085 + EN 12104 + EN 655

Nominal thickness for cork surface	EN ISO 24340	mm	≥ 2,5
Residual indentation	EN ISO 24343-1	mm	≤ 0,40

Safety properties - EN 14041

Fire resistance	EN 13501-1	Class	E _{fl-s1}
Slip classification	EN 13893	Class	DS
Formaldehyde emission	EN 717-1	Class	E1
Electrical behaviour	EN 1815	KV	Not Antistatic
Content pentachlorophenol (PCP)	EN 14041 (Annex B)	mg/Kg	PCP Free

Optional properties

Stains resistance	ISO 26987(a)	Grade (b)	Grade 0 (iodine: Grade 3)
Thermal resistance	EN 12667	(m²K)/W	R ≤ 0,150



Greenguard Certification helps the identification of interior products and materials that have low chemical emissions, improving the quality of the air in which the products are used. It promotes global sustainability, environmental health, and safety.



TÜV-PROFICERT-product Interior brand is a voluntary, independent label for VOC-emission and quality of floorings. The results comply with the emission thresholds of AgBB, Belgian VOC regulation, Finnish M1 classification, BREEAM Exemplary Level, LEED v4 (outside North America), RAL-UZ 120 and Austrian Eco Label (Guideline UZ 56).



As of January 2012, France has adopted regulations that limit total VOC emissions of building products. Manufacturers, selling their products in France must obtain a classification ranging from A+ (very low emissions) to C (high emissions). The declared goal is to improve indoor air quality in private/commercial buildings.



An Environmental Product Declaration is a verified document that reports environmental data of products based on life cycle assessment and other relevant information in accordance with the international standard ISO 14025.



The goal of the German Cork Association is to assure the quality of cork products, as well as the optimization of manufacturing processes and the support of research projects.



(a) The following products were tested: Desinfectant, Petroleum spirit, C₂H₅OH, NH₄OH, Citric acid and Iodine.

b) Grade 0 - Unchanged / Grade 1 - Very little change / Grade 2 - Little change / Grade 3 - Change / Grade 4 - Strong change.

Wicanders Flooring Collection is supported by a warranty. Please, read the warranty terms on **www.wicanders.com**